

NEC My Office C350



Power and Performance in a compact design

Improve your document processing needs



At a Glance

- 31-ppm Color/B&W Digital MFP
- Standard Printing: PCL & PS
- Standard Scanning
- Email
- SMB, FTP, USB, HDD, and network Twain
- 50-Page ADFR
- Standard Faxing
- 1,350 sheet capacity

Overview

The NEC My Office C350 digital copier provides full network integration, plus a full complement of features including digital copying, facsimile, network printing, E-mail integration, network scanning, and duplex. Improve your document processing needs with 31-ppm cost-effective B&W or color output, all in a space saving compact design.



Solution


Get the power and performance your office demands with the My Office C350. Sleek styling and compact foot print, help save space and low cost per copy helps save money. Get better productivity with the standard reversing document feeder for scanning multiple originals and standard auto duplexing.



Enjoy Full-Featured Scanning

The My Office C350 offers standard network scanning in both color and black and white while utilizing a wide variety of file formats, such as TIFF, PDF, or JPEG. Now you can import color documents, convert your paper document base to digital files and send all your information electronically.

- **Scan-to-Email**, which enables you to send documents via e-mail.
- **TWAIN Scanning**, Control the My Office C350 from your PC through TWAIN-enabled PC applications
- **Scan-to-FTP**, which enables you to scan documents to an FTP server so that others can then view and/or retrieve them via proxy servers
- **Scan-to-PC (SMB)**, which uses the Windows® environment's desktop scanning ability to offer direct scanning to a network PC
- **Scan-to-HDD**, Scan directly to the machines hard drive.
- **Scan-to-USB**, Scan directly to a USB thumb drive.



Security

Standard security includes Secure Print, access restriction by user authentication and/or administrator password, IP filtering, SSL Encryption, Authentication lock, and standard 128-bit AES encryption of hard drive files.

Network printing


Easily output color or B&W print jobs from the NEC My Office C350. The standard print controller offers PCL6/PS3 emulation and XPS. Universal print drivers make managing your output simple.



Easy to use Control Panel

The 4.3" color touch panel can be tilted for better viewing comfort. Large icons allow you to easily select functions like Fax, Scan to E-mail, Scan to Folder, and Copy. Help is also available for making screens easy to understand.

Unit Configuration



Specifications

TYPE:

Full-Color- Print/Copy/Scanner

PRINT/COPY PROCESS:

Tandem Process

TONER TYPE:

Simitri HD Color Polymerized Toner

MONTHLY DUTY CYCLE: 120,000

pages

PRINT/COPY SPEED:

Full Color: 31 ppm (letter, portrait), B&W 31 ppm (letter, portrait)

PRINT/COPY RESOLUTION:

600 dpi x 600 dpi

SCAN SPEED:

Full Color: up to 31 ppm (@ 300 dpi letter, portrait), B&W: up to 31 ppm (@ 300 dpi letter, portrait) [scan speeds vary based on resolution and data size]

SCAN RESOLUTION:

150 dpi x 150 dpi, 200 dpi x 200 dpi, 300 dpi x 300 dpi, 600 dpi x 600 dpi (Network Twain: 150 dpi, 300 dpi, 600 dpi, 1200 dpi, 2400 dpi, 4800 dpi)

SCAN FILE FORMATS:

TIFF, PDF, Compact PDF, Encrypted PDF, JPEG (Single page only), XPS

MEMORY: 1.5 GB (shared print, copy, scan and fax memory)

HARD DISK DRIVE:

120 GB HDD (shared print, copy, scan and fax)/20 GB is available for user storage

ORIGINAL SIZE:

Up to 8.5" x 14"

COPY/PRINT SIZE: Tray 1(Bypass Tray): 4"

x 6", 5.5" x 8.5", 8.5" x 11", 8.5" x 14", A4, A5, B5, A6, B6; Tray 2 (Universal Cassette): 4" x 6", 5.5" x 8.5", 8.5" x 11", 8.5" x 14", A4, A5, B5, A6, B6; Tray 3 and 4 (optional): 8.5" x 11", 8.5" x 14", A4, B5

WARM-UP TIME:

45 seconds or less

FIRST-PAGE OUTPUT TIME:

Print: Monochrome: 12.9 seconds

(letter), Color: 12.9 seconds (letter)/Copy:

Monochrome: 10.1 seconds (letter), Color:

12.0 seconds (letter)

COPY QUANTITY:

1-999

MAGNIFICATION:

Zoom Range: 25%-400%, 0.1%

increments (Platen), 25%-200%, 0.1%

increments (RADF)

Preset Reduction: x0.866, x0.816, x0.785,

x0.707, x0.647, x0.607, x0.500, Preset

Enlargement: x2.000, x1.631, x1.545,

x1.414, x1.294, x1.224, x1.154

COLOR COPY MODES:

Auto Color, Full Color, Black & White

COPY EXPOSURE MODES:

Text, Text/Photo, Photo

FAXING:

Super G3 compatibility, MH, MR, MMR,

JBIG data compression, 33.6 Kbps

modem speed, F-Code support (TX only)

FAX TRANSMISSION SPEED: Less than 3

seconds (A4, V.34, 33.6 kbps, JBIG)

FAX MEMORY:

1.5 GB (shared print, copy, scan and fax memory)

STANDARD PAPER CAPACITY: 100-sheet

bypass (up to 110 lb. index), 250-sheet

universal cassette (up to 110 lb. index)

MAXIMUM PAPER CAPACITY: 1,350

sheets (total, with options)

DOCUMENT FEEDER (STANDARD):

Reversing Automatic Document Feeder:

Full Color: 31 opm, B&W: 31 opm, Paper

Capacity: Letter: 50 sheets (80 g/m²),

Legal: 50 sheets (80 g/m²), Over 80 g/m²:

30 sheets.

Paper Size: A4, A5, B5, Legal (8.5" x 14"),

Letter (8.5" x 11"), INV (8.5" x 5.5") Paper

Weight: Simplex: 50-128 gsm/Duplex:

50-128 gsm

POWER REQUIREMENTS

CONSUMPTION:

120V/60Hz /1.2kW or less (max.), TEC

Value : 6.48kWh

DIMENSIONS :

20.9" x 20" x 21.7"

WEIGHT: 86 lbs.

OPTIONS: AU-201H HID Proximity Card

Authentication Unit, AU-202H HID iClass

Card Authentication Unit, DK-P01 Copy

Desk, PF-P08 Paper Feeder Unit, WT-P01

Working Table

AVAILABLE PRINT FUNCTIONS:

Auto Duplex (up to 210 gsm or 110 lb

Index), Auto Trapping, Bi-Directional

Communication, Black Overprint, Booklet

Printing, Collating, Color Modes (Auto

Color, Black & White), Color Separation,

Cover Mode(Front/Back Cover), Direct

Print, Economy Printing, Image Overlay/

Watermark Function, Job List, My Tab,

N-Up Printing, Poster Mode, PPML,

Print from USB, Proof Print, Secure Print,

Separator Page

AVAILABLE COPY FUNCTIONS: APS/

AMS, Auto Duplex (up to 210 gsm or

110 lb Index), Auto Tray Switching,

Background Adjustment (9 steps), Color

Modes (Full Color, Auto Color, Black &

White), Color Quality Adjustment (Contrast,

Sharpness), Copy Modes (Simplex/

Duplex), Density (9 Steps), Electronic

Sorting, ID Copy (Card Shot), Interrupt,

Job Concurrency, Job List, Job Reserve,

Mixed Originals (Letter/Legal only), Multi-

Job, Page Margin, Paper Type Selection

(Plain, Recycled, Thick 1, Thick 2, Label,

Envelope, Postcard, Letterhead, Glossy

1, Glossy 2, 1-Side Only, Special Paper),

Program/Recall Jobs, Proof Copy, Quality

(Text, Text/Photo, Photo), Separate Scan,

Sort, Zoom, 2-in-1, 4-in-1

AVAILABLE SCAN FUNCTIONS: Scan-to-

Email, Scan-to-FTP, Scan-to-HDD,

Scan-to-SMB, Scan-to-USB Memory,

Scan-to-WebDAV, Address Book [2,000

destinations, 100 group destinations

(up to 500 Address Book destinations

per group), 400 programs], bizhub Send

(Email/SMB/FTP destinations can be

broadcasted, and Fax destinations can

be broadcasted, however, Email/SMB/

FTP destinations cannot be broadcasted

together with Fax destinations), Email

Settings (File Name, From Address,

Subject, Body Text), Job List, LDAP

Authentication, LDAP Search, Program/

Recall Jobs, Search, Separate Scan, SMB

Browsing, S/MIME, TWAIN Scan (Real-

Time), WS-Scan

AVAILABLE FAX FUNCTIONS: Address

Book [2,000 destinations, 100 group

destinations (up to 500 Address Book

destinations per group), 400 programs],

Auto Redial, Auto Reduction, Background

Removal, Banner TX, Broadcast,

Busy/Error Redial, Confidential TX,

Density, ECM OFF, Fax Forwarding, Full

Size, Group Dial, Internet Fax, Job List,

Memory RX, Memory TX, Mixed Originals

TX, Original Size Setting, Password

TX, Password RX, PC-FAX, Polling RX,

Program/Recall Jobs, Quality (Text, Text/

Photo, Photo), Relay TX, Remote RX,

Reports, Resolution (Std., Fine, Super

Fine), Separate Scan, Sharpness, Tel/Fax

Auto Switching, Timer TX, V34 OFF TX

SECURITY/NETWORK FUNCTIONS: bEST

(bizhub Extended Solution Technology)*,

Copy Protect (print only), Encrypted

PDF, Function Limitation (Copy, Scan,

Fax/I-Fax, Print, HDD), HDD Encryption,

HDD Overwrite, IC Card Authentication,

ID & Print, IEEE802.1x, IP Filtering, IPP

over SSL, IPSec, ISO 15408 Certified,

Network User Authentication (Up to 20

servers, Active Directory, Novell NDS

over ICP/IP and IPX/SPX, NTLM v.1/v.2,

LDAP), Password Transmission/Reception,

Print without Authentication, Public User

Function, Secure Print, SSL2, SSL3, Status

(Consumables, Device Info), TSL1.0, User

Authentication, Utility (Accessibility, Meter

Count, Address Registration, User Settings,

Admin Settings)

APPLICATIONS:

PageScope Data Administrator,

PageScope Direct Print, PageScope

Download Manager, PageScope EMS

Plug-ins, PageScope NetCare Device

Manager, PageScope Web Connection,

Driver Packaging Utility, Print Status

Notifier, bizhub vCare, PageScope

Enterprise Suite (optional): PageScope

Account Manager, PageScope

Authentication Manager

Print System (standard):

PROCESSOR: 800MHz (MV 78100)

MEMORY/HARD DISK DRIVE:

1.5 GB/120 GB HDD (20 GB available for

user storage)

PAGE DESCRIPTION LANGUAGE:

PostScript 3, PCL6 (XL 3.0), PCL5e/c, XPS

(1.0), PDF Direct Printing (Version 1.7),

JPEG/TIFF Direct Print

FONTS: PCL: 80 fonts, Adobe PostScript

3 Emulation: 137 fonts

PRINT DRIVERS: PCL6: Windows 2000,

Windows XP (x32, x64), Windows Server

2003 (x32, x64), Windows Vista (x32, x64),

Windows Server 2008 (x32, x64), Windows

7 (x32, x64)

PS3: Windows 2000, Windows XP (x32,

x64), Windows Server 2003 (x32, x64),

Windows Vista (x32, x64), Windows Server

2008 (x32, x64), Windows 7 (x32, x64)

Mac: OS X 10.2.8, 10.3.9, 10.4, 10.5, 10.6

XPS: Windows Vista, Windows Server

2008, Windows 7 (x32, x64)

INTERFACE: 10 BASE-T/100 BASE-

TX/1000 BASE-T, USB 1.1, USB 2.0

PROTOCOLS: TCP/IP, IPX/SPX,

EtherTalk, SMB, Netware 4.x, 5.x, 6, IPP

1.1, POP3, LDAP, SNMP v1, v2, v3, HTTP/

HTTPS, IPv6, DPWS (WSD), IPP over

SSL, IPSec (IPv6), Bonjour, NTP, SSL/TLS,

Dynamic DNS, LLTD.

Immediate Nationwide Help With the purchase of your NEC My Office C350 Series equipment, you gain access to NEC's National Support Center, where help is always at your fingertips. NEC will happily answer your questions and help you solve any problems.

For more information, visit www.necam.com

Empowered by Innovation



Corporate Headquarters (Japan)

NEC Corporation

www.nec.com

Oceania (Australia)

NEC Australia Pty Ltd

www.nec.com.au

North America (USA & Canada)

NEC Corporation of America

www.necam.com

Asia

NEC Corporation

www.nec.com

Europe (EMEA)

NEC Unified Solutions

www.nec-unified.com

About NEC Corporation of America Headquartered in Irving, Texas, NEC Corporation of America is a leading provider of innovative IT, network and communications products and solutions for service carriers, Fortune 1000 and SMB businesses across multiple vertical industries, including Healthcare, Government, Education and Hospitality. NEC Corporation of America delivers one of the industry's broadest portfolios of technology solutions and professional services, including unified communications, wireless, voice and data, managed services, server and storage infrastructure, optical network systems, microwave radio communications and biometric security. NEC Corporation of America is a wholly-owned subsidiary of NEC Corporation, a global technology leader with operations in 30 countries and more than \$38.5 billion in revenues. For more information, please visit www.necam.com.

CF44952 | v.07.27.11

© 2011 NEC Corporation. All rights reserved. NEC, NEC logo, and UNIVERGE are trademarks or registered trademarks of NEC Corporation that may be registered in Japan and other jurisdictions. All trademarks identified with ® or ™ are registered trademarks or trademarks respectively. Models may vary for each country. Please refer to your local NEC representatives for further details.